

# SIMPLE success with ATRIDOX®!

It's as easy as 1, 2, 3!

## PREPARATION

Preparing and administering ATRIDOX only takes a few minutes by following these simple steps.

**1**




**SYRINGE A**                      **SYRINGE B**

ATRIDOX™  
450 mg ATRIGEL® Delivery System  
Manufactured by TOLMAR Inc.

ATRIDOX™  
450 mg ATRIGEL® Delivery System  
Manufactured by TOLMAR Inc.


Twist and lock Syringe A (indicated by red stripe) containing liquid polymer with Syringe B containing doxycycline powder.

**2**



Inject contents of Syringe A into Syringe B and then push contents back into Syringe A. Mix syringes back and forth 100 times (about 1 1/2 minutes). The contents must be in Syringe A when finished.

**3**



**SYRINGE A**                      **BLUNT CANNULA**

ATRIDOX™  
450 mg ATRIGEL® Delivery System  
Manufactured by TOLMAR Inc.

Hold the coupled syringes vertically with Syringe A at bottom. Pull back on Syringe A plunger and allow contents to flow down the barrel for several seconds. Uncouple the two syringes and attach blunt cannula to Syringe A.

# ADMINISTRATION


You're now ready to apply ATRIDOX®

1



Bend cannula to resemble a periodontal probe.

2



When filling periodontal pockets, keep cannula tip near pocket base. Fill the majority of the pocket with ATRIDOX while withdrawing the cannula tip from the pocket.

**Tip:** You may benefit from the use of a moistened hand instrument to ensure proper placement.

3



Separating the cannula tip from ATRIDOX is easy. Simply turn the tip toward the tooth surface and, by pressing the cannula tip on the surface of the tooth, ATRIDOX will easily separate from the cannula tip.

## Remember!

Use ATRIDOX for three or more sites.

ATRIDOX will solidify and slowly release doxycycline hyclate over a period of 21 days.<sup>1</sup> It is bioabsorbable and does not require removal.



**ATRIDOX**  
(doxycycline hyclate) 10%

**1-800-228-5595**  
**www.ATRIDOX.com**

 **ZILA**  
a TOLMAR Company  
500 White Drive  
Batesville, AR 72501

References: 1. Stoller N, Johnson L, Trapnell S, et al. The pharmacokinetic profile of a biodegradable controlled release delivery system containing doxycycline compared to systemically delivered doxycycline in gingival crevicular fluid, saliva and serum. J Periodontol.1998;69:1085-1091.

©2010 Zila, Inc. ATRIDOX® is a registered trademark of TOLMAR Inc.



TSM148 Rev. 1 0910